

# Molex 45984-0007 PDF

深圳创唯电子有限公司

<http://www.molex-connect.com>

FOAM FILLER MATERIAL  
NUMBER 96720-0001  
SEE NOTE 4

PACKAGING TRAY  
(SEE CHART)  
(1) EMPTY  
(4) FULL


STRETCH WRAP  
8525-0003  
SEE NOTE 5

PRIMARY CARTON 96707-1003  
OR 96707-0003

LABEL TO BE  
LOCATED AS SHOWN

NOTES:

1. PARTS TO BE ORIENTED IN PACKAGING TRAYS AS SHOWN.
2. REFER TO CHART FOR PACKAGING TRAY MATERIAL NUMBER.
3. 96707-1003 OR 96707-0003 PRIMARY SHIPPING CARTON TO BE SEALED WITH 2.0 INCH WIDE TAPE.
4. USE FOAM FILLER AS REQUIRED TO TAKE UP EXCESS SPACE INSIDE CARTON.
5. STRETCH WRAP SHOULD BE USED IN THE AREAS SHOWN. WRAP STACK WITH A MINIMUM OF 3-5 WRAPS.



PART ORIENTATION IN TRAY

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	DIMENSION UNITS	SCALE		CURRENT REV DESC: ADD 45985-0034/5572
▽ = 0	MM	1:1		molex
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)			
▽ = 0		MM	INCH	PACKAGING DESIGN DRAWING
▽ = 0	4 PLACES ±	±		
▽ = 0	3 PLACES ±	±		DOC TYPE
▽ = 0	2 PLACES ± 0.13 ±	±		DOC PART
▽ = 0	1 PLACE ± 0.25 ±	±		REVISION
▽ = 0	0 PLACES ±	±		PK-45984-001
▽ = 0	ANGULAR TOL ± 0.5 °			PDD
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	001
▽ = 0			SERIES	M1
			A1-SIZE	45984
			MATERIAL NUMBER	SEE TABLE
			CUSTOMER	GENERAL MARKET
			SHEET NUMBER	1 OF 4

STANDARD RECEPTACLES					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2) 45984-41**	11, 12, 13	12	9	45	180
	21, 22, 23	16	8	40	160
	31, 32, 33	20	8	40	160
	41, 42, 43	24	7	35	140
	51, 52, 53	28	7	35	140
	61, 62, 63	32	6	30	120
	71, 72, 73	36	6	30	120
81, 82, 83	40	6	30	120	
(3) 45984-61**	11, 12, 13	12	6	30	120
	21, 22, 23	16	6	30	120
	31, 32, 33	20	6	30	120
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
81, 82, 83	40	5	25	100	
(4) 45984-81**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
81, 82, 83	40	4	20	80	
(5) 45984-11**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
81, 82, 83	40	3	15	60	

RECEPTACLES WITH PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2) 45984-43**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	7	35	140
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	6	30	120
	71, 72, 73	36	5	25	100
81, 82, 83	40	5	25	100	
(3) 45984-63**	11, 12, 13	12	6	30	120
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
81, 82, 83	40	4	20	80	
(4) 45984-83**	11, 12, 13	12	5	25	100
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
81, 82, 83	40	3	15	60	
(5) 45984-13**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
81, 82, 83	40	3	15	60	

RECEPTACLES WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2) 45984-42** 45984-44**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	7	35	140
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	6	30	120
	71, 72, 73	36	5	25	100
81, 82, 83	40	5	25	100	
(3) 45984-62** 45984-64**	11, 12, 13	12	6	30	120
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
81, 82, 83	40	4	20	80	
(4) 45984-82** 45984-84**	11, 12, 13	12	5	25	100
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
81, 82, 83	40	3	15	60	
(5) 45984-12** 45984-14**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
81, 82, 83	40	3	15	60	










STANDARD PLUGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2) 45985-41**	11, 12, 13	12	9	45	180
	21, 22, 23	16	8	40	160
	31, 32, 33	20	7	35	140
	41, 42, 43	24	7	35	140
	51, 52, 53	28	7	35	140
	61, 62, 63	32	6	30	120
	71, 72, 73	36	6	30	120
81, 82, 83	40	6	30	120	
(3) 45985-61**	11, 12, 13	12	6	30	120
	21, 22, 23	16	6	30	120
	31, 32, 33	20	6	30	120
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
81, 82, 83	40	4	20	80	
(4) 45985-81**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
81, 82, 83	40	4	20	80	
(5) 45985-11**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
81, 82, 83	40	3	15	60	

PLUGS WITH GUIDES AND/OR PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2) 45985-42** 45985-43** 45985-44**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	6	30	120
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
81, 82, 83	40	5	25	100	
(3) 45985-62** 45985-63** 45985-64**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
81, 82, 83	40	4	20	80	
(4) 45985-82** 45985-83** 45985-84**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
81, 82, 83	40	3	15	60	
(5) 45985-12** 45985-13** 45985-14**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
81, 82, 83	40	3	15	60	

RECEPTACLES WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(3)	45984-0033	16	5	25	100

PLUGS WITH GUIDES AND/OR PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(3)	45985-0033	16	5	25	100
(4)	45985-0034	12	4	20	80
(2)	45985-4572	36	5	25	100
	45985-5572	36	5	25	100

\* REFER TO SHEET 4 FOR MATERIAL NUMBERS WITH SUFFIXES -00\*\*

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: ADD 45985-0034/5572																									
	 = 0  = 0  = 0  = 0  = 0  = 0  = 0	DIMENSION UNITS <b>MM</b>	SCALE <b>1:1</b>	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr><th></th><th>MM</th><th>INCH</th></tr> <tr><td>4 PLACES ±</td><td>±</td><td>±</td></tr> <tr><td>3 PLACES ±</td><td>±</td><td>±</td></tr> <tr><td>2 PLACES ±</td><td>0.13</td><td>±</td></tr> <tr><td>1 PLACE ±</td><td>0.25</td><td>±</td></tr> <tr><td>0 PLACES ±</td><td>±</td><td>±</td></tr> </table>			MM	INCH	4 PLACES ±	±	±	3 PLACES ±	±	±	2 PLACES ±	0.13	±	1 PLACE ±	0.25	±	0 PLACES ±	±	±	EC NO: 617438 DRWN: ALIN06 2018/03/02 CHK'D: MBELLE 2019/05/17 APPR: HTHYAGARAJ 2019/05/27 INITIAL REVISION: DRWN: BANDURA 2006/04/19 APPR: APATEL 2006/05/18		DOCUMENT NUMBER <b>PK-45984-001</b>	DOC TYPE <b>PDD</b>	DOC PART <b>001</b>
	MM	INCH																										
4 PLACES ±	±	±																										
3 PLACES ±	±	±																										
2 PLACES ±	0.13	±																										
1 PLACE ±	0.25	±																										
0 PLACES ±	±	±																										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS 			THIRD ANGLE PROJECTION	DRAWING <b>A1-SIZE 45984</b>	MATERIAL NUMBER <b>SEE TABLE</b>	CUSTOMER <b>GENERAL MARKET</b>	SHEET NUMBER <b>2 OF 4</b>																					

STANDARD POWER RECEPTACLES					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2)	45984-4911	4	13	65	260
	45984-4921	4	13	65	260
	45984-4931	4	13	65	260
(3)	45984-6911	6	8	40	160
	45984-6921	6	8	40	160
	45984-6931	6	8	40	160
(4)	45984-8911	8	6	30	120
	45984-8921	8	6	30	120
	45984-8931	8	6	30	120
(5)	45984-1911	10	5	25	100
	45984-1921	10	5	25	100
	45984-1931	10	5	25	100

STANDARD POWER PLUGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2)	45985-4911	4	13	65	260
	45985-4921	4	13	65	260
	45985-4931	4	13	65	260
(3)	45985-6911	6	8	40	160
	45985-6921	6	8	40	160
	45985-6931	6	8	40	160
(4)	45985-8911	8	6	30	120
	45985-8921	8	6	30	120
	45985-8931	8	6	30	120
(5)	45985-1911	10	5	25	100
	45985-1921	10	5	25	100
	45985-1931	10	5	25	100

SIGNAL RECPT. WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45984-02** 45984-04**	11, 12, 13	12	18	90	360
	21, 22, 23	16	16	80	320
	31, 32, 33	20	14	70	280
	41, 42, 43	24	13	65	260
	51, 52, 53	28	11	55	220
	61, 62, 63	32	10	50	200
	71, 72, 73	36	9	45	180
	81, 82, 83	40	9	45	180

SIGNAL RECPT. STANDARD & w/PEGS					
REFER TO PK-45984-002					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45984-01** 45984-03**	11, 12, 13	12	REFER TO PK-45984-002		
	21, 22, 23	16			
	31, 32, 33	20			
	41, 42, 43	24			
	51, 52, 53	28			
	61, 62, 63	32			
	71, 72, 73	36			
	81, 82, 83	40			

POWER RECEPTACLES w/GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2)	45984-4912	4	9	45	180
	45984-4914	4	9	45	180
	45984-4922	4	9	45	180
	45984-4924	4	9	45	180
	45984-4932	4	9	45	180
	45984-4934	4	9	45	180
(3)	45984-6912	6	7	35	140
	45984-6914	6	7	35	140
	45984-6922	6	7	35	140
	45984-6924	6	7	35	140
	45984-6932	6	7	35	140
	45984-6934	6	7	35	140
(4)	45984-8912	8	5	25	100
	45984-8914	8	5	25	100
	45984-8922	8	5	25	100
	45984-8924	8	5	25	100
	45984-8932	8	5	25	100
	45984-8934	8	5	25	100
(5)	45984-1912	10	4	20	80
	45984-1914	10	4	20	80
	45984-1922	10	4	20	80
	45984-1924	10	4	20	80
	45984-1932	10	4	20	80
	45984-1934	10	4	20	80

POWER PLUGS w/PEGS/GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2)	45985-4912	4	9	45	180
	45985-4913	4	9	45	180
	45985-4914	4	9	45	180
	45985-4922	4	9	45	180
	45985-4923	4	9	45	180
	45985-4924	4	9	45	180
	45985-4932	4	9	45	180
	45985-4933	4	9	45	180
	45985-4934	4	9	45	180
	45985-4934	4	9	45	180
(3)	45985-6912	6	7	35	140
	45985-6913	6	7	35	140
	45985-6914	6	7	35	140
	45985-6922	6	7	35	140
	45985-6923	6	7	35	140
	45985-6924	6	7	35	140
	45985-6932	6	7	35	140
	45985-6933	6	7	35	140
	45985-6934	6	7	35	140
	45985-6934	6	7	35	140
(4)	45985-8912	8	5	25	100
	45985-8913	8	5	25	100
	45985-8914	8	5	25	100
	45985-8922	8	5	25	100
	45985-8923	8	5	25	100
	45985-8924	8	5	25	100
	45985-8932	8	5	25	100
	45985-8933	8	5	25	100
	45985-8934	8	5	25	100
	45985-8934	8	5	25	100
(5)	45985-1912	10	4	20	80
	45985-1913	10	4	20	80
	45985-1914	10	4	20	80
	45985-1922	10	4	20	80
	45985-1923	10	4	20	80
	45985-1924	10	4	20	80
	45985-1932	10	4	20	80
	45985-1933	10	4	20	80
	45985-1934	10	4	20	80
	45985-1934	10	4	20	80

STANDARD SIGNAL PLUGS					
USE PACKAGING TRAY 46077-0003					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45985-01**	11, 12, 13	12	25	125	500
	21, 22, 23	16	21	105	420
	31, 32, 33	20	18	90	360
	41, 42, 43	24	16	80	320
	51, 52, 53	28	14	70	280
	61, 62, 63	32	13	65	260
	71, 72, 73	36	11	55	220
	81, 82, 83	40	10	50	200
	81, 82, 83	40	10	50	200
	81, 82, 83	40	10	50	200

SIGNAL PLUGS w/PEGS/GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0003					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45985-02** 45985-03** 45985-04**	11, 12, 13	12	16	80	320
	21, 22, 23	16	14	70	280
	31, 32, 33	20	12	60	240
	41, 42, 43	24	11	55	220
	51, 52, 53	28	10	50	200
	61, 62, 63	32	10	50	200
	71, 72, 73	36	9	45	180
	81, 82, 83	40	8	40	160
	81, 82, 83	40	8	40	160
	81, 82, 83	40	8	40	160

POWER RECEPTACLES WITH PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(2)	45984-4913	4	9	45	180
	45984-4923	4	9	45	180
	45984-4933	4	9	45	180
(3)	45984-6913	6	7	35	140
	45984-6923	6	7	35	140
	45984-6933	6	7	35	140
(4)	45984-8913	8	5	25	100
	45984-8923	8	5	25	100
	45984-8933	8	5	25	100
(5)	45984-1913	10	4	20	80
	45984-1923	10	4	20	80
	45984-1933	10	4	20	80

<b>SYMBOLS</b> = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
	DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD 45985-0034/5572	
	MM		1:1			
	GENERAL TOLERANCES (UNLESS SPECIFIED)					
			MM	INCH	EC NO: 617438	
	4 PLACES ±		±		DRWN: ALIN06 2018/03/02	
	3 PLACES ±		±		CHK'D: MBELLE 2019/05/17	
	2 PLACES ±		0.13		APPR: HTHYAGARAJ 2019/05/27	
	1 PLACE ±		0.25		INITIAL REVISION:	
	0 PLACES ±				DRWN: BANDURA 2006/04/19	
ANGULAR TOL ±		0.5°		APPR: APATEL 2006/05/18		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES	
				A1-SIZE	45984	
DOCUMENT NUMBER		DOC TYPE   DOC PART   REVISION		CUSTOMER		
PK-45984-001		PDD 001 M1		GENERAL MARKET		
SEE TABLE		SHEET NUMBER		3 OF 4		

STANDARD RECEPTACLES					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
3	45984-0003	24	5	25	100
5	45984-0007	16	4	20	80
2	45984-0008	24	7	35	140
2	45984-0017	24	7	35	140
2	45984-0019	16	8	40	160
5	45984-0025	16	4	20	80

RECEPTACLES WITH PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
2	45984-0005	24	6	30	120
4	45984-0010	12	5	25	100
4	45984-0009	24	4	20	80
2	45984-0011	24	6	30	120

RECEPTACLES WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
4	45984-0002	24	4	20	80
4	45984-0009	24	4	20	80
3	45984-0018	24	5	25	100
2	45984-0020	16	7	35	140
2	45984-0023	16	7	35	140

PLUGS WITH GUIDES AND/OR PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF SIGNALS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
4	45985-0002	24	4	20	80
3	45985-0004	12	6	30	120
2	45985-0005	24	6	30	120
4	45985-0006	40	3	15	60
4	45985-0007	20	4	20	80
3	45985-0008	12	5	25	100
5	45985-0009	32	3	15	60
6	45985-0010	24	6	30	120
2	45985-0012	20	6	30	120
2	45985-0013	12	7	35	140
2	45985-0014	12	7	35	140
3	45985-0015	12	5	25	100
2	45985-0016	16	7	35	140
2	45985-0017	40	5	25	100
4	45985-0018	40	3	15	60
4	45985-0020	12	4	20	80
4	45985-0021	40	3	15	60
2	45985-0022	12	7	35	140
3	45985-0023	20	5	25	100
4	45985-0027	12	4	20	80
2	45985-0028	16	7	35	140
2	45985-0030	16	7	35	140

<b>SYMBOLS</b> = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD 45985-0034/5572						 PACKAGING SPECIFICATION LOW PROFILE HYBRID 45984 & 45985 SERIES	
	MM		1:1									
	GENERAL TOLERANCES (UNLESS SPECIFIED)										EC NO: 617438 DRWN: ALIN06 2018/03/02 CHK'D: MBELLE 2019/05/17 APPR: HTHYAGARAJ 2019/05/27 INITIAL REVISION: DRWN: BANDURA 2006/04/19 APPR: APATEL 2006/05/18	
			MM	INCH								
	4 PLACES ±		±	±								
	3 PLACES ±		±	±								
	2 PLACES ±		0.13	±								
	1 PLACE ±		0.25	±								
	0 PLACES ±		±	±								
ANGULAR TOL		± 0.5 °										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		
				A1-SIZE		45984		SEE TABLE		CUSTOMER		
								GENERAL MARKET		SHEET NUMBER		
										4 OF 4		